

Skyhawk SP Standard Equipment List

The following list of equipment is included on the standard aircraft and may not reflect optional equipment that you may have chosen to be added.

Flight Instruments

- Sensitive Altimeter
(20 ft Increments & Inches of Hg or millibars where required)
- Digital Clock
- Magnetic Compass
- Attitude and Directional Gyros
3" Display
(Includes Vacuum System, Suction Gauge and Low Vacuum Warning)
- True Airspeed Indicator
- Outside Air Temperature Indicator
- Turn Coordinator Indicator
- Vertical Speed Indicator

Engine Instruments

- Ammeter / Vacuum
- Annunciator Panel
 - Left Low Fuel
 - Left Low Vacuum
 - Low Oil Pressure
 - Low Voltage
 - Right Low Fuel
 - Right Low Vacuum
- Flight Hour Recorder
- Fuel Flow / Exhaust Gas Temperature
- Left and Right Fuel Quantity
- Oil Pressure / Temperature
- Recording Tachometer

Controls

- Hydraulic Toe-Operated Brakes
- Parking Brake
- Stainless Steel Control Cables
- All Purpose Dual Control Wheels
- Electric, Preselect Flaps
- Dual Flight Controls
- Fuel Selector Valve – Left, Both, Right
- Fuel Shutoff
- Aileron and Elevator Lock
- Throttle Control
- Vernier Mixture Control
- Alternate Static Source
- Elevator Trim System

Interior Lights

- Variable-Intensity Control Pedestal
- Backlit, Variable-Intensity Instruments
- Indirect Glareshield, Variable-Intensity Instrument Panel Lighting
- Variable-Intensity, Yoke-Mounted Map
- Overhead Cabin

Exterior Lights

- Omni – Flash Beacon
- Navigation
- Navigation Lights Detectors
- Wing Tip Strobes
- Landing and Taxi (Wing Mounted)
- Underwing Courtesy (Left and Right Wings)

Power Plant and Accessories

- Lycoming IO-360-L2A Engine
180 HP @2700 RPM certified for 100 and 100LL Fuel
- Fuel Injection System
- Tubular Steel Engine Mount
- Dynafoal Rear Mount
- Automatic Alternate Engine Air
- 28 Volt, 60 Amp Alternator
- Alternator Control Unit
(with High Voltage Trip Out and Low Voltage Warning Capability)
- 24 Volt, 12.75 Amp Hr. Battery
- Oil Cooler
- Shock Mounted Cowling
- Induction Air Filter
- Full-Flow Oil Filter
- Electric Auxiliary Fuel Pump
- Engine-Driven Fuel Pump
- Fuel Strainer, Incorporated with Fuselage Quick Drain
- Integral Fuel Tanks, 53 Gal. Usable
- Fuel Quick Drains, 5 per Wing and Sampler Cup
- Ground Service Plug Receptacle
- Dual Shielded Magneto Ignition System
- Key-Operated Ignition & Starter Switch
- Engine Exhaust Muffler
- McCauley Fixed Pitch, 2-Blade, Metal Propeller
- Propeller Spinner
- Electric Starter
- Dual-Pump Vacuum System
- Emergency Locator Transmitter

Interior

- Approach Plate Holder
- Armrests (Outboard)
- Wall-to-Wall Carpet
- Pilot's Checklist
- Electrical and Avionic Circuit Breakers
- Pilot and Copilot Windshield Defroster
- Hand-Held Fire Extinguisher
- Glareshield (with Light)
- Pilot's Operating Handbook
- Shrouded Muffler Heating System with Firewall Valve
- Clothes Hanger Bar
- Metal Instrument Panel with Removable Subpanels
- Map/Glove Compartment
- Baggage Net
- Radio Call Plate
- Map and Storage Pockets
- Cabin Door Scuff Plates
- Inertia Reel Shoulder Harness Seat Belts (All Seats)
- Berkshire Leather Seats, Taupe (No Cost Option)

- Pilot and Copilot Seats:
Adjustable Fore and Aft with Reclining Backs and Vertical Adjust

- Rear Seats:
Bench with One Piece Reclining Back
- Acoustic Cabin Soundproofing
- Pilot/Copilot Sun Visors
- Avionics Power Switch
- Master Switch
- Adjustable Cabin Air Ventilators, Six Places
- Hinged Left Hand & Right Hand Window
- Rear Window
- Tinted All-Around Windows

Exterior

- All Structure Epoxy Corrosion Proofing
- Baggage Door
- Left Hand Door
- Right Hand Door
- Wing Flaps (Electrically Operated)
- Gear Jack Pads
- Fixed Landing Gear
- Lockable, Key-Operated Baggage Door
- Lockable, Key-Operated Cabin Door
- Vinyl Appliqué Logo and Striping
- Steerable Nose Wheel
- Overall Paint (Polyurethane)
- Heated Pitot System
- Audible Stall Warning System
- Refueling Steps and Handles (Wing Struts and Fuselage)
- Fixed Cabin Entrance Steps
- Tie Down Rings
- Tube Type Tires
 - Nose, 5.00 X 5
 - Mains, 6.00 X 6
- Tow Bar
- Conical Camber Wing Tips
- Strut Braced, Camber Lift Wings
- Winterization Kit
- Outside Air Temperature Sensor
- Wheel Fairings (No Cost Option)

Avionics

- Standard Aircraft:
KX 155A Nav/Com
KI 208 VOR/LOC Indicator
KMA 26 Audio Panel/Marker Beacon/4-Position,
Voice Activated Intercom
KT 76C Mode C Transponder
Avionics Cooling Fan